

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17

**Supporting Information**  
for  
**Quantitative Structure-activity Relationship Model for Prediction of Genotoxic  
Potentials for Quinolone Antibacterials**

Jianying HU<sup>1\*</sup>, Wanfeng WANG<sup>1,2</sup>, Zhou ZHU<sup>1</sup>, Hong CHANG<sup>1</sup>, Feng PAN<sup>2</sup>, and Binle Lin<sup>3</sup>


<sup>1</sup>College of Environmental Science, Peking University, Beijing, 100871 China

<sup>2</sup>College of Chemistry & the Environment, Henan Normal University, Xinxiang, 453007 China

<sup>3</sup>Research Center for Chemical Risk Management, National Institute of Advanced Industrial  
Science and Technology, 16-1 Onogawa, Tsukuba, Ibaraki Prefecture 305-8569, Japan

|         |     |
|---------|-----|
| Text    | 2   |
| Figures | 1   |
| Tables  | 0   |
| Words   | 300 |

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17



**SUPPORTING INFORMATION FIGURE 1.** Dose-response curves of genotoxicity for the five quinolones which was used as test chemicals.